


# EXTERIOR LIGHTING

SUPPLEMENT

BY  EUROfase®





# SURFACE MOUNT






**34174-012 MARINE GREY**



**34174-029 GRAPHITE GREY**



- 1 X 18W CREE LED
- 3000 Kelvin
- Lumen Output: 420lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body


- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design



**34175-019 MARINE GREY**



**34175-026 GRAPHITE GREY**



- 18W CREE LED
- 3000 Kelvin
- Lumen Output: 860lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body

- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design
- Cover plate included for standard junction box



up & down light











**34173-015 MARINE GREY**



**34173-022 GRAPHITE GREY**



- 2 X 7.5W CREE LED
- 3000 Kelvin
- Lumen Output: 650lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body

- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design
- Cover plate included for standard junction box




up & down light



**34172-018 MARINE GREY**



**34172-025 GRAPHITE GREY**





- 1 X 15W CREE LED
- 3000 Kelvin
- Lumen Output: 650lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body

- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design
- Cover plate included for standard junction box




— SURFACE MOUNT



### 34121-016 GRAPHITE GREY

- 13W CREE LED
- 3000 Kelvin
- Lumen Output: 750lm
- LED driver included
- Electronic driver 120V/277V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body
- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design



### 34120-019 GRAPHITE GREY


- 13W CREE LED
- 3000 Kelvin
- Lumen Output: 750lm
- LED driver included
- Electronic driver 120V/277V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body
- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design





5 1/2"

**34116-012 GRAPHITE GREY**




- 10W CREE LED
- 3000 Kelvin
- Lumen Output: 500lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body

- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design



11 3/4"

**34119-013 GRAPHITE GREY**



- 10W CREE LED
- 3000 Kelvin
- Lumen Output: 800lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body


- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design












**34117-019 GRAPHITE GREY**

- 20W CREE LED
- 3000 Kelvin
- Lumen Output: 1000lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body

- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design




**34118-016 GRAPHITE GREY**

- 20W CREE LED
- 3000 Kelvin
- Lumen Output: 1000lm
- LED driver included
- Electronic driver 120V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body


- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design





**34125-014 GRAPHITE GREY**

- 13W CREE LED
- 3000 Kelvin
- Lumen Output: 750lm
- LED driver included
- Electronic driver 120V/277V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body
- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design
- Cover plate included for standard junction box




**34124-017 GRAPHITE GREY**

- 6W CREE LED
- 3000 Kelvin
- Lumen Output: 220lm
- Lithium battery included
- Electronic charger 120V 50/60Hz
- Portable
- Bluetooth speaker to play music
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body
- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design








**34122-013 GRAPHITE GREY**

- 13W CREE LED
- 3000 Kelvin
- Lumen Output: 750lm
- LED driver included
- Electronic driver 120V/277V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body
- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design




**34123-010 GRAPHITE GREY**

- 13W CREE LED
- 3000 Kelvin
- Lumen Output: 750lm
- LED driver included
- Electronic driver 120V/277V 50/60Hz
- IP 54
- CRI: 80+
- High corrosion resistant die-cast aluminum body
- Stainless steel screws
- Silicone rubber gasket
- Powder coated with pretreatment for outdoor use
- Patented design











**33693-019**  
**Antique Silver**

3-LIGHT OUTDOOR LED WALL SCONCE  
3 x 5W/LED 3000K/1200lm  
(dimnable)



**33692-012**  
**Antique Silver**

LARGE OUTDOOR LED WALL SCONCE  
2 x 5W/LED 3000K/800lm  
(dimnable)




**33691-015**  
**Antique Silver**

SMALL OUTDOOR LED WALL SCONCE  
5W/LED 3000K/400lm  
(dimnable)











**33690-018**  
**Black**

3-LIGHT OUTDOOR LED WALL SCNCE  
3 x 4.5W/LED 3000K/1200lm  
(dimmable)



**33689-012**  
**Black**

LARGE OUTDOOR LED WALL SCNCE  
7.5W/LED 3000K/600lm  
(dimmable)




**33688-015**  
**Black**

SMALL OUTDOOR LED WALL SCNCE  
4.5W/LED 3000K/400lm  
(dimmable)











**34139-011**  
**Satin Nickel**

SQUARE OUTDOOR LED FLUSHMOUNT  
2 x 10W/LED 3000K/1800lm  
(dimnable)



**34138-014**  
**Satin Nickel**

LARGE OUTDOOR LED WALL SCONCE  
2 x 10W/LED 3000K/1800lm  
(dimnable)



**34137-017**  
**Satin Nickel**

SMALL OUTDOOR LED WALL SCONCE  
2 x 10W/LED 3000K/1800lm  
(dimnable)






Eurofase Inc.  
33 West Beaver Creek Road  
Richmond Hill, Ontario  
Canada L4B 1L8

tel 905.695.2055 toll free 1.800.660.5391  
fax 905.695.2056 toll free 1.800.660.5390

Dallas Trade Mart  
Eurofase Showroom, Suite #4002

[www.eurofase.com](http://www.eurofase.com)



Printed in Canada  
© 2018 Eurofase Inc. All rights reserved.  
Product Specifications and Approvals

Eurofase Inc. reserves the right to make alterations to the construction and design of products shown in this catalog in order to meet the laws or regulations of any authorized governing organization. The use of products shown in this catalog must comply with local building codes.

