


The oscillating Melody, 3-speed wall-mounted fan, designed in the Art Nouveau style with a grand, arching gooseneck, provides maximum multi-directional airflow with its 90° left to right sweep. Melody can be mounted in small, awkward spaces or in front of HVAC ducts to improve the efficiency of the heating, ventilation or air conditioning of any space. Constructed of cast aluminum and heavy stamped steel, the Melody carries a limited lifetime warranty.



























# **MELODY**

FINISH AND BLADE OPTIONS		
SKU#	ME-XX (Model+Finish)	
Finishes	Matte Black Textured Bronze	BK TB

TECHNICAL SPECS		
Fan Weight	14 lbs	
Blade Material	Metal / ABS	
Voltage	110 or 220	
Motor Type	AC	
Oscillation	Yes	
Fan Diameter	13 inches / 33 cm	
Fan Height	20 inches / 51 cm	
Fan Projection	20 inches / 51 cm	
Recommended Mounting Height	Approximately 24 inches / 61 cm from ceiling	
Fan Guard	Safety Cage	
Environment	Damp locations for all finishes. Neither coastal, saltwater nor chlorine compatible.	
Ambience	Soothing White Noise	
Safety Certification	ETL / CETL	
Warranty	Limited Lifetime	
NEW JAN 21, 2020 DOE MOTOR EFFICIENCY DATA		

RPM (Low / High)	1213 / 1495
CFM (Low / High)	868 / 1303
Watts (High)	47.68
CFM/Watt (High)	27.32
Blade Pitch	31°

### STANDARD EQUIPMENT

Safety cage

Side-mounted wall junction box

Decora-style, 3-speed wall control in white



# ACCESSORY


Black 3-speed RF remote control



#### Note:

- 1) A three-wire system is needed to operate the oscillation mechanism independent of the fan blades.
- 2) The remote control receiver will not fit behind the wall canopy. A clever electrician will need to hide the receiver in wall or ceiling according to code.

# TECHNICAL SPECIFICATIONS



## Matthews Fan Company

1881 Industrial Drive Libertyville, IL 60048 Tele: 847.680.9043 Fax: 847.680.8140 www.matthewsfanco.com © 2023 Matthews Fan Company. All rights reserved.

