

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Archetype

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W15912 12"	3000K 90	BK Black	10W	800	331	Yes

Example: **WS-W15912-BK**

DESCRIPTION

A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application.

FEATURES

- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant, Dark Sky Friendly Wet Location Listed
Construction:	Aluminum hardware with etched glass diffuser




FINISHES



Black

LINE DRAWING



WS-W15912

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Archetype

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W15918 18"	3000K 90	BK Black	13W	1000	435	Yes

Example: **WS-W15918-BK**

DESCRIPTION

A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application.

FEATURES

- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant, Dark Sky Friendly Wet Location Listed
Construction:	Aluminum hardware with etched glass diffuser




FINISHES



Black

LINE DRAWING



WS-W15918

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Archetype

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W15924 24"	3000K 90	BK Black	16W	1200	571	Yes

Example: **WS-W15924-BK**

DESCRIPTION

A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application.

FEATURES

- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100 - 10%
Rated Life:	54000 Hours
Standards:	ETL, cETL, IP65, Title 24 JA8-2016 Compliant, Dark Sky Friendly Wet Location Listed
Construction:	Aluminum hardware with etched glass diffuser




FINISHES



Black

LINE DRAWING



WS-W15924